

O/C



LUPIN LIMITED (UNIT 1)
Plot No. M-2 & M-2-A, SEZ, Phase-II, MISIC Zone,
Apparel Park, Pithampur, Distt. Dhar - 454775
Tel: +91-7292-417300, 417399

Date: 23/11/2024

To,

The Chief Conservator of Forest
Ministry of Environment & Forest
Regional Office (western Wing)
Link Road No,-3, E-5, Ravi Shankar Nagar
Bhopal - 462016 M.P.

Subject: Compliance Report –Environment Clearance No. J-11011/1188/2007-IA II (I) Dtd.
09.04.08

Dear Sir,

This has reference to the above said Environment Clearance No. No. J-11011/1188/2007-IA II (I) Dtd. 09.04.08 granted to us for our manufacturing unit located at SEZ-Phase-II, Misc. Zone Apparel Park Pithampur, and Dist-Dhar (M.P.).

Please find enclose herewith half yearly compliance report for the period of April-2024 to September-2024.

Thanking you.

For Lupin Limited

Amit Sareen
Amit Sareen
Site Head & Sr. VP Manufacturing

दोनों कायलिय
म.प्र. प्रदूषण नियंत्रण बोर्ड
पीथमपुर, धार (म.प्र.)
आवक क्र.
दिनांक 28/11/2024

Encl. - As above

Cc:

1. The Member secretary, SEIAA, EPCO, Bhopal (M.P.)
2. Zonal Office CPCB, Bhopal (M.P.)
3. The Member secretary, MPPCB- Bhopal (M.P.)
4. Regional Officer SEZ Pithampur - Dhar (M.P)

Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
A. SPECIFIC CONDITIONS		
i	There shall be no installation of boiler. The DG sets will be provided with acoustic arrangements to attenuate the noise pollution. The emissions from the DG sets shall be dispersed as per the CPCB/State pollution control Board standards.	We will not install any boiler without prior permission. The DG set installed at the site is with proper enclosure arrangement to keep noise level within the prescribed limit. The emission for DG sets is dispersed as per CPCB/MPPCB standards. The monitoring reports are attached. Kindly refer the Annexure-1.
ii	The solid waste generated in the form of process waste, Distillation residues and spent carbon shall be disposed of to CHW TSDF of M.P. Waste management Project. Spent catalyst shall be disposed of to the manufacturer for recycling or to CHW TSDF. The spent solvent shall be sent to common incinerator facility for incineration or sold to the authorized recyclers. The discarded containers/Barrels after decontamination will be sold or returned to supplier.	The hazardous waste generated from this facility is sent to common waste treatment, storage and disposal facility (CWTSDF) of M/s Pithampur Industrial Waste Management Private Limited for which we have agreement already. The spent solvent is sold to the authorized recyclers or sent to preprocessor. The discarded containers/Barrels/Liners are sold to authorize recyclers under Rule-9 as per Hazardous Waste Authorization. Submitted copy of form IV is attached. Kindly refer the Annexure-2.
iii	Hazardous chemicals shall be stored in tanks farms, drums, carboys etc. flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.	The storage of hazardous chemicals is being done in storage tanks in the tank farm, drums and carboys. Flame arrestors are provided on tank farm. The transfer of solvents is by pumps.
iv	The company shall undertake measures for solvent recovery and chilled brine secondary condensers shall be provided for control of evaporation of low boiling solvents, spent solvent shall be recovered as far as possible & recovery shall not be less than 98 percent. Solvent vapours emitted during purification process from purification tanks as fugitive emissions shall be reduced as far as possible all venting equipment shall have vapour recovery system.	We are a pharmaceutical organization and manufacturing drug substances and products. We are unable to use recovered solvent because of quality requirements hence fresh solvent are required to be used to comply with USFDA/MHRA/WHO quality requirements. However, the solvent recovery is also part of the process and the solvents recovered is recycled and reused as a part of the systems.
v	Regular monitoring of HC and VOC shall be carried out at all vents in work zone area and in the ambient air at probable locations in and around the plant.	Regular workplace monitoring is being done at the identified points.

**Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)**

Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status												
vi	<p>An plant area of 33% shall be developed as green belt, selection of plants species shall be as per the Guidelines of CPCB.</p>	<p>Green belt is 33% of the total plot area. In last three year (2021-2024) we have planted 2489 trees. Expenditures incurred in last three year for green belt development and maintenance is Rs. 5.51 Million. The species planted are as; Pelta Pharm, Mahogany, Conocarpus Champa, Gulmohar, Jakarenda, Ficus, Neem, Karanj, Sheesham, kala Seras, Shishu, Kesia Semia, Alastonia, Kanak Champa, Morsali, Jacaranda, Mango Tree, Itpethodia, Paras Peepal, Mahua, Chirol / Hovala, Washingtonia Palm, Mahua Fox Tail Palm, Bottle Palm, Bismaria Palm Christmas Tree, Aanwla, Kesia Gulka, Shravani, Jarul, Kachnar, Karanj, Baheda, Sagwan etc. Kindly refer Annexure – 3.</p> <p>Plantation details year wise as given below;</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Year</th><th>Nos of plant Sapling</th></tr> </thead> <tbody> <tr> <td>2021-22</td><td>1089</td></tr> <tr> <td>2022-23</td><td>400</td></tr> <tr> <td>2023-24</td><td>1000</td></tr> <tr> <td>2021-2024 (3 yrs)</td><td>2489</td></tr> <tr> <td>Apr-24- Sep-24</td><td>1400</td></tr> </tbody> </table>	Year	Nos of plant Sapling	2021-22	1089	2022-23	400	2023-24	1000	2021-2024 (3 yrs)	2489	Apr-24- Sep-24	1400
Year	Nos of plant Sapling													
2021-22	1089													
2022-23	400													
2023-24	1000													
2021-2024 (3 yrs)	2489													
Apr-24- Sep-24	1400													

B. GENERAL CONDITIONS

i	The project authorities shall strictly adhere to the stipulations made by the state pollution control Board.	We will adhere to all stipulations made by the M.P. Pollution control Board.
ii	No further expansion or modification in the plant shall be carried out without prior approval of the MoEF. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance. A fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We will not carry out any expansions or modifications in our operations without prior approval.
iii	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	The emissions from the sources are monitored regularly. All necessary precautions like preventive maintenance is taken regularly to ensure compliance. Monitoring reports are attached as Annexure -1

Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
iv	The gaseous emissions (NO _x , SO ₂ , CO, VOC & HC) and particulate matter from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission level shall go beyond the stipulated standards. In the event of failure of pollution control system (s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	We ensure that no gaseous emissions from the process units. Regular preventive maintenance is done so as to ensure no failure of the equipment.
v	The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Boards (SPCB) and it shall be ensured that at least one station is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated.	Monitoring stations have been identified and the monitoring is done regularly. Reports are submitted to MPPCB regularly. AAQM reports are attached as Annexure-4.
vi	Dedicated scrubbers and stacks of appropriate height as per the CPCB guideline shall be provided to control the emission from various vents. The scrubbed water shall be sent to ETP for further treatment.	Stack of appropriate height as per the Central Pollution Control board guidelines have been provided to control the emissions from various vents. Scrubbed water is being sent to treatment facility for further treatment.
vii	All the storage tanks will be under negative pressure to avoid any leakages. Breather valves, N2 blanketing and secondary condensers with chilled brine chilling system shall be provided for all the storage tanks to minimize vapour's losses. All liquid raw material shall be stored in storage tanks and drums. Closed handling system for chemicals and solvents will be provided, magnetic seals will be provided for pumps/agitators for reactors for reduction of fugitive emissions. Solvent traps shall be installed wherever necessary. Reactor generating solvent vapors will be connected to condensers with receivers.	The solvent tanks are insulated with glass wool cladding and provided with breather valves. N2 is purged in the tanks. The solvents are stored mainly in tanks. Mechanical seals have been provided on the transferring pumps. The handling of solvents/chemicals is done in closed system to control the fugitive emission. The solvent which are stored in barrels are transferred to container/vessel in closed condition with the help of FLP barrel pumps. Reactor vents (vapour column) are connected with primary & secondary condensers having different utilities (chilled water & chilled brine) to have optimum condensation of solvents vapours. Closed centrifuge system and their ML storage tanks connected with condensers system to reduce solvent losses. Insulation provided on the transfer lines of low boilers to prevent vapour losses.

Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
viii	All venting equipment shall have vapor recovery systems. All the pumps and other equipment's where there is a likelihood of HC leakages shall be provided with leak detection and repair system and LEL indicators and hydrocarbon detectors. Provision for immediate isolation of such equipment in case of a leakage will also be made. The company shall provide a well-defined leak detection and repair programme for quantification and control of fugitive emissions. The detectors sensitivity will be in ppm levels.	Venting equipment have been provided with vapor recovery system. All the pumps and other equipment have been provided with mechanical seal which ensures no leakage. We monitor the work environment to confirm that there are no fugitive emissions.
ix	The Company shall undertake following waste minimization measures. <ul style="list-style-type: none"> > Metering and control of quantities of active ingredients to minimize waste. > Reuse of by products from the process as raw material or as raw material substitutes in other processes. > Use of automated filling to minimize spillage. > Use of 'Close Feed' system into batch reactors. > Venting equipment through vapor recovery system. > Use of high-pressure hoses for equipment cleaning to reduce wastewater generation. 	We are taking up waste minimization measures as specified in the Environment clearance (EC).
x	Fugitive emission in the work zone environment, product and raw materials storage area shall be regularly monitored. The emissions shall conform to the limits imposed by the state Pollution Control Board/central Pollution control Board.	All operations in the manufacturing areas are controlled and closely monitored to ensure that there are no fugitive emissions. Work environment monitoring of operating areas is done regularly.
xi	The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management And handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for collection, handling, treatment, storage and disposal of hazardous wastes. All Transportation of Hazardous chemical shall be as per the MVA, 1989.	We are complying with the MSIHC rules and Hazardous and Other Wastes (Management & Trans-boundary Movement) Rules 2016, as amended from time to time. We have obtained authorization for the Hazardous Wastes from the Hon'ble Board.

Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
xii	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (protection) Act.1986 rules,1989 viz. 75 dBA (day time) and 70 dBA(night time).	The overall noise level in and around the plant area is well within the specified limits. Necessary acoustic arrangement has been provided to keep the noise levels well within the prescribed limits. Reports of noise monitoring are attached as Annexure- 5.
xiii	Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per the factories Act.	Occupational Health Surveillance is done for all employees through personal health checkups which includes pre-employment and periodic health check/examination records are maintained. Kindly refer Annexure- 6.
xiv	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodic medical examinations for all employees shall be undertaken on regular basis.	<p>Pre-employment and routine periodical medical examinations are done for all employees on a regular basis as required under factories act. The medical tests are conducted by NABL accredited laboratory. Necessary training, induction and periodic training consisting of Class room, Tool box training etc. is imparted to the employees on safety & health aspects regularly and training schedule also made for all employees as below.</p> <ul style="list-style-type: none"> ❖ Instructed Laid Training are imparted as per monthly training schedule by safety coordinators and EHS persons. ❖ Web based trainings to employees are imparted through SABA which is a software based training program for on roll employees. ❖ On Job training to employees to shop floor level at regular intervals. ❖ Training to contract employees on weekly basis. <p>Some of the training topics covered are – First aid, Safe handling & use of hazardous chemicals etc. Mock drills are carried out regularly. Besides, safety instructions displayed, and implementation of safety procedures and practice of safe working methods is ensured throughout the operations at all times.</p>

**Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)**
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
xv	Usage of PPEs by all employees/ workers shall be ensured.	Usage of PPEs by all employees/workers is ensured.
xvi	The company shall strictly follow all the recommendations mentioned in the charter on corporate responsibility for environmental Protection (CREP).	Requirements of CREP guidelines are followed. A copy of the compliance status of CREP guideline conditions is attached as Annexure -7.
xvii	The company shall harvest surface as well as rainwater from the rooftops of the building proposed in the expansion project and storm water drain to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	As per the directive of CGWB, Bhopal, we have constructed check dams, the details of check dams are attached. The capacity of check dam is 87550 m3. Kindly refer the Annexure -8. The reports have already been submitted to the CGWB, Bhopal.
xviii	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the ministry. All the recommendations made in respect of environment management and risk mitigation measures relating to the project shall be implemented.	We are complying with the environmental protection measures and safeguards mentioned in our project report and the recommendations made in respect of environmental management and risk mitigation measures relating to this project are implemented. Six monthly EC compliance report is submitted to MoEF&CC regularly. The details of Environment Management system and risk mitigation is already submitted to your good office earlier.
xix	The company will undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration.	The CSR activities are carried out through Lupin Human Welfare & Research Foundation. The reports of our efforts for the year 2023-24 is enclosed as Annexure -9.
xx	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Kindly refer S. No. XIX above.
xxi	A separate environmental management cell equipped with full-fledged laboratory facilities shall be set-up to carry out the environmental management and monitoring functions.	There is a separate Environment Department equipped with full fledge laboratory facility to carry out the environmental management & monitoring. The department is headed by Head-Environment who reports to the Plant Head/ Corp EHS Head. A team of executives carries out the environmental management & monitoring functions and reports to Head- Environment.
xxii	The project authorities shall earmark adequate funds to implement the conditions stipulated by the ministry of environment and forests as well as the state government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Adequate funds are provided for the environment protection and compliances. These funds are utilized for the defined purpose. We submit the year wise expenditure on environment management to MPPCB regularly in environmental statement. Annual recurring expenditure for the year 2023 –24 is Rs. 194.58 lacs.

Lupin Limited, Pithampur
COMPLIANCE REPORT
(Period: APR-2024 to SEP-2024)
Environmental Clearance No. J.11011/1188/2007-IA II (I) dtd. 09.04.2008

Condition No.	Condition	Compliance Status
xxiii	The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned regional office of ministry/SPCB/CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Six monthly compliance report is being submitted to MoEF&CC/CPCB/SPCB and also posted on the website regularly. Last six months compliance report for the period OCT-2023 to MAR-2024 was submitted on 29.05.2024
xxiv	The project proponent shall inform the public that the project has been accorded environment clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned regional Office of the Ministry.	We published the necessary notification regarding the project accorded environmental clearance in 2 nos. of local newspaper. Proof already submitted earlier.
xxv	The project authorities shall inform the Regional office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have already informed the Regional Office of the Ministry vide our letter No. MDP/RKK/SEZ-04/08 dtd. 19.02.08 about the completion of the project and the commencement of the production activity.
6	The ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
7	The Ministry reserves the right to stipulate additional conditions. If found necessary. The company in a time bound manner will implement these conditions.	Noted
8	Any appeal against this environmental clearance shall lie with the National Appellate Authority. If preferred within a period of 30 days as prescribed under section 11 of the National Environment Appellate Act, 1997	Noted
9	The Above conditions will be enforced, inter-alia under the provisions of the water (Prevention and Control of Water Pollution) Act, 1974, Air (Prevention and Control of Air Pollution) Act, 1981, The Environment (Protection) Act, 1986, Hazardous waste(Management and Handling) Rule 2003 and the Public liability Insurance Act, 1991 along with their amendments and rules.	Noted



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 98688 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FR/51D

Test Report

Report issued to :		
IWS LUPIN LIMITED (Unit-II) (API Division)		
Plot No. M-2 & M-2-A, SEZ PHASE II		
Misc. Zone Apparel Park, Pithampur, 454775		
Dhar (M.P.)		

A.R No.	: AIR-3675/2024 - 2025
Sample Received Date	: 08/07/2024
Report Issue Date	: 15/07/2024

Sample Name	Stack Air Monitoring			
Sampling Date&Time	: 08/07/2024 14:05	Stack Attached To	DG-UTY-115(1250 KVA)	Flue gas Velocity : 7.48 m/sec
Sampling Duration	: 15 min.	Location	Near Utility-1	Flue gas Temperature : 77°C
Sampling By	: Azis Labs	Ambient Temp.	: 25°C	Diameter : 0.4 meter
Stack gas flow rate	: 3513 Nm ³ /Hr.	Humidity	: 82%	Analysis Start Date : 09/07/2024
Stack Height	: 30 meter	Fuel	: H.S.D.	Analysis End Date : 15/07/2024

SR	Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1.	Particulate Matter(at 15% O ₂)	mg/Nm ³	47.31	75	IS : 11255 (Part-1) 1985 RA 2019
2.	NOx (as NO ₂) (at 15% O ₂) dry basis	ppmv	72.85	710	IS : 11255 (Part-7) 2005 RA 2022
3.	Carbon Monoxide (at 15% O ₂)	mg/Nm ³	12.73	150	IS : 13270 1992
4.	NMHC (as C) (at 15% O ₂)	mg/Nm ³	16.29	100	IS : 5182 (part-21) 2001
5.	Sulphur Dioxide (SO ₂)	mg/Nm ³	22.83	-----	IS : 11255 (Part-2) 1985 RA 2019
End of Report					

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. NABL Accredited Lab.


MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



Sadekar Enviro Engineers Private Limited

Plot No. A-85, Road No. 16, Kisan Nagar Road, N.I.D.C. Wagholi Industrial Area, Thane - 400 604. Maharashtra State, India.
 ☎ : (01-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pre@sadekarenviro.com / psadekar5@gmail.com

Laboratory Recognised under Environment (Protection) Act, 1986 by MoEF & CC, GOI, Valid until 06.09.2025

SAVE WATER
SAVE LIFE

ANALYSIS TEST REPORT

Report No.	SEETL/Project/ST/04/2024/091	Report Date	11/04/2024
Name of Client	M/S. LUPIN LIMITED		
Address of Client	Plot No. M2 & M2A, SEZ Phase- II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (MP.) – 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SCS Representative		
Environmental Condition of Lab		Temperature(°C)	25.1
		Humidity (%)	53

DETAILS OF STACK

Attached To	DG-UTY-115 (1250 KVA)
Location	Near Utility -1 Unit -2
Shape	Round
Diameter (Mtr)	0.4
Height From Ground Level (Mtr)	30
Flue Gas Temperature (°c)	97.0
Flue Gases Velocity (m/sec)	8.84
Flue Gas Flow Rate (Nm³/hour)	3164.0
Type of Fuel	HSD

POLLUTIONAL PARAMETERS

Sr.	Parameters	Result	Units	Limit	Method
1.	Particulate Matter (15% O ₂)	33.4	mg/Nm ³	75	IS 11255 (Part 1):1985 RA. 2019
2.	Sulphur Dioxide (SO ₂)	77.5	mg/Nm ³	-	IS 11255 (Part 2),1985RA 2019
3.	NO _x (as NO ₂) (At 15 % O ₂) dry basis)	90.2	ppmv	710	IS 11255 (Part 7) RA. 2022
4.	CO(At 15% O ₂)	13.8	mg/Nm ³	150	EPA Method 10
5.	NMHC (as C) (At 15% O ₂)	10.5	mg/Nm ³	100	EPA Method 25

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) This certificate may not be reproduced without the permission of this Laboratory.

*****END OF THE REPORT*****

Authorized Signatory
Nilesh Naik

Format No. SEETL/LD/F-72

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Paito, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com
 LABORATORY : B-306/307, Plot No. 01, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
 Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379
 • Laboratory Recognised under Environment (Protection) Act, 1986 by MoEF & CC, GOI, Valid until 03.12.2024
 • Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9669889316, 9827006819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report Issued to :	SWS LUPIN LIMITED (Unit-II) (API Division) Plot No. M-2 & M-2-A, SEZ PHASE II Mic. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)
--------------------	--

A.R No.	: AIR-3677/2024 - 2025
Sample Received Date	: 08/07/2024
Report Issue Date	: 15/07/2024

Sample Name	Stack Air Monitoring			
Sampling Date&Time	08/07/2024 14:50	Stack Attached To	DG-UTY-58 (1500 KVA)	Flue gas Velocity : 6.54 m/sec
Sampling Duration	15 min.	Location	Near ETP-1	Flue gas Temperature : 81°C
Sampling By	Azis Labs	Ambient Temp.	25°C	Diameter : 0.4 meter
Stack gas flow rate	3378 Nm ³ /hr.	Humidity	82%	Analysis Start Date : 09/07/2024
Stack Height	30 meter	Fuel	H.S.D.	Analysis End Date : 15/07/2024

SR	Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1.	Particulate Matter (15% O ₂)	mg/Nm ³	45.18	Max. 75	IS : 11255 (Part-1) 1985 RA 2019
2.	NOx (as NO ₂) (at 15% O ₂), dry basis	ppmv	76.23	Max.710	IS : 11255 (Part-7) 2005 RA 2022
3.	Carbon Monoxide (at 15% O ₂)	mg/Nm ³	12.37	Max.150	IS : 13270 1992
4.	SO ₂ (as C) (at 15% O ₂)	mg/Nm ³	15.43	Max.100	IS : 5182 (part-21) 2001
5.	Sulphur Dioxide (SO ₂)	mg/Nm ³	27.95	—	IS : 11255 (Part-2) 1985 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



Sadekar Enviro Engineers Private Limited

Plot No. A-85, Road No. 16, Kisan Nagar Road, N.I.D.C. Wagholi Industrial Area, Thane - 400 604. Maharashtra State, India.

① : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pre@sadekarenviro.com / psadekar5@gmail.com

Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 06.09.2025

SAVE WATER

SAVE LIFE

ANALYSIS TEST REPORT

Report No.	SEETL/Project/ST/04/2024/093	Report Date	11/04/2024
Name of Client	M/S. LUPIN LIMITED		
Address of Client	Plot No. M2 & M2A, SEZ Phase- II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (MP.) – 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SCS Representative		
Environmental Condition of Lab		Temperature(°C)	25.1
		Humidity (%)	53

DETAILS OF STACK

Attached To	DG-UTY-58 (1500 KVA)
Location	Near ETP-1 Plant Unit-2
Shape	Round
Diameter (Mtr)	0.4
Height From Ground Level (Mtr)	30
Flue Gas Temperature (°c)	109.0
Flue Gases Velocity (m/sec)	9.27
Flue Gas Flow Rate (Nm ³ /hour)	3186.2
Type of Fuel	HSD

POLLUTIONAL PARAMETERS

Sr.	Parameters	Result	Units	Limit	Method
1.	Particulate Matter (15% O ₂)	45.0	mg/Nm ³	75	IS 11255 (Part 1):1985 RA. 2019
2.	Sulphur Dioxide (SO ₂)	79.4	mg/Nm ³	--	IS 11255 (Part 2),1985RA 2019
3.	NO _x (as NO ₂) (At 15 % O ₂ dry basis)	90.2	ppm-v	710	IS 11255 (Part 7) RA. 2022
4.	CO(At 15% O ₂)	17.0	mg/Nm ³	150	EPA Method 10
5.	NMHC (as C) (At 15% O ₂)	13.7	mg/Nm ³	100	EPA Method 25

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) This certificate may not be reproduced without the permission of this Laboratory.

*****END OF THE REPORT*****



Authorized Signatory

Nilesh Naik

Format No. SEETL/LD/F-72

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Patio, Panaji-403 001, Goa State, India ① : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-206/207, Plot No. 87, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ① : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

* Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 03.12.2024
* Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96888 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Test Report

Format No. : AL/FMS1D

Report Issued to :	A.R.No.
M/S LUPIN LIMITED (Unit-II)(API Division) Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park,Pithampur, 454775 Dhar (M.P.)	AIR-6052/2024 - 2025
	Sample Received Date : 09/09/2024 Report Issue Date : 16/09/2024

Sample Name	Stack Monitoring	Stack Attached To	Boiler 4 TPH	Flue gas Velocity	6.37 m/sec
Sampling Date & Time	07/09/2024 13:40	Location	Utility-2 (Unit-2)	Flue gas Temperature	108°C
Sampling Duration	60 min.	Ambient Temp.	26°C	Diameter	1.0 meter
Sampling By	Azis Labs	Humidity	86%	Analysis Start Date	09/09/2024
Flue Gas Flow Rate	10278.15 Nm ³ /Hr.	Fuel	Natural Gas (PNG)	Analysis End Date	16/09/2024
Stack Height From Ground Level	35 meter				

Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1. Particulate Matter(PM)	mg/Nm ³	BDL	—	IS : 11255 (Part-1) 1985 RA. 2019
2. Sulphur Dioxide(SO ₂)	mg/Nm ³	BDL	—	IS : 11255 (Part-2) 1985 RA. 2019
3. Oxides of Nitrogen(NOx)	mg/Nm ³	18.59	—	IS : 11255 (Part-7) 2005 RA. 2022

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit
4. NABL Accredited Lab

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FRM/1D

Test Report

Report Issued to :	A.R No. :
RDS LIPIN LIMITED (Unit-II) API Division) Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	AIR-4486/2024 - 2025
Sample Received Date :	07/08/2024
Report Issue Date :	14/08/2024

Sample Name	Stack Monitoring	Stack Attached To	Boiler 4 TPH	Flue gas Velocity	6.50 m/sec
Sampling Date&Time	08/08/2024 13:30	Location	Utility-2 (Unit-2)	Flue gas Temperature	108°C
Sampling Duration	60 min.	Ambient Temp.	26°C	Diameter	1.0 meter
Sampling By	Azis Labs	Humidity	86%	Analysis Start Date	08/08/2024
Flue Gas Flow Rate	10472.1 Nm ³ /Hr.	Fuel	Natural Gas (PNG)	Analysis End Date	14/08/2024
Stack Height From Ground Level	35 meter				

S.No.	Parameter	UNIT	RESULT	Limit	METHOD OF TEST
					IS : 11255 (Part-1) 1985 RA. 2019
1.	Particulate Matter(PM)	mg/Nm ³	BDL	—	IS : 11255 (Part-2) 1985 RA. 2019
2.	Sulphur Dioxide(SO ₂)	mg/Nm ³	BDL	—	IS : 11255 (Part-7) 2005 RA. 2022
3.	Oxides of Nitrogen(Nox)	mg/Nm ³	15.23	—	IS : 11255 (Part-1) 1985 RA. 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit
4. NABL Accredited Lab.


MANOJ BAMNIYA
 Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89318, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/01D

Test Report

Report Issued to :	M/S LUPIN LIMITED (Unit-II)(API Division) Plot No. M-2 & M-2-A, SEZ PHASE II Mic. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)
--------------------	---

A.R No.	: AIR-3669/2024 - 2025
Sample Received Date	: 08/07/2024
Report Issue Date	: 15/07/2024

Sample Name	Stack Monitoring				
Sampling Date&Time	05/07/2024 13:35	Stack Attached To	Boiler 4 TPH	Flue gas Velocity	7.34 m/sec
Sampling Duration	60 min.	Location	Utility-2 (Unit-2)	Flue gas Temperature	107°C
Sampling By	Azis Labs	Ambient Temp.	25°C	Diameter	1.0 meter
Flue Gas Flow Rate	10562.1 Nm ³ /Hr.	Humidity	82%	Analysis Start Date	09/07/2024
Stack Height From Ground Level	35 meter	Fuel	Natural Gas (PNG)	Analysis End Date	15/07/2024

Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1. Particulate Matter(PM)	mg/Nm ³	BDL	—	IS : 11255 (Part-1) 1985 RA. 2019
2. Sulphur Dioxide(SO ₂)	mg/Nm ³	BDL	—	IS : 11255 (Part-2) 1985 RA. 2019
3. Oxides of Nitrogen(NO _x)	mg/Nm ³	14.56	—	IS : 11255 (Part-7) 2005 RA. 2025

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit
4. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 96698 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingvani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/61D

Test Report

Report Issued to :

M/S LUPIN LIMITED (Unit-II)(API Division)
Plot No. M-2 & M-2-A, SEZ PHASE II
Misc. Zone Apparel Park,Pithampur, 454775
Dhar (M.P.)

A.R No. : AIR-2622/2024 - 2025

Sample Received Date : 11/06/2024

Report Issue Date : 17/06/2024

Sample Name	Stack Monitoring	Stack Attached To	Boiler 4 TPH	Flue gas Velocity	6.92 m/sec
Sampling Date & Time	08/06/2024 14:02	Location	Utility-2 (Unit-2)	Flue gas Temperature	112°C
Sampling Duration	60 min.	Ambient Temp.	27°C	Diameter	1.0 meter
Sampling By	Azis Labs	Humidity	72%	Analysis Start Date	12/06/2024
Flue Gas Flow Rate	10578.5 Nm ³ /Hr.	Fuel	Natural Gas (PNG)	Analysis End Date	17/06/2024
Stack Height From Ground Level	35 meter				

Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1. Particulate Matter(PM)	mg/Nm ³	BDL	---	IS : 11255 (Part-1) 1985 RA. 2019
2. Sulphur Dioxide(SO ₂)	mg/Nm ³	BDL	---	IS : 11255 (Part-2) 1985 RA. 2019
3. Oxides of Nitrogen(NO _x)	mg/Nm ³	14.94	---	IS : 11255 (Part-7) 2005 RA. 2022

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit
4. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALJFMS1D

Test Report

Report Issued to :
M/S LUPIN LIMITED (Unit-II)(API Division)
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No. : AIR-1798/2024 - 2025

Sample Received Date : 15/05/2024
 Report Issue Date : 21/05/2024

Sample Name	Stack Monitoring				
Sampling Date & Time	14/05/2024 13:15	Stack Attached To	Boiler 4 TPH	Flue gas Velocity	6.50 m/sec
Sampling Duration	60 min.	Location	Utility-2 (Unit-2)	Flue gas Temperature	108°C
Sampling By	Azis Labs	Ambient Temp.	39°C	Diameter	1.0 meter
Fine Gas Flow Rate	10543.1 Nm ³ /Hr.	Humidity	18%	Analysis Start Date	16/05/2024
Stack Height From Ground Level	35 meter	Fuel	Natural Gas (PNG)	Analysis End Date	21/05/2024

	Parameter	UNIT	RESULT	LIMIT	METHOD OF TEST
1.	Particulate Matter (PM)	mg/Nm ³	BDL	—	IS : 11255 (Part-1) 1985 RA. 2019
2.	Sulphur Dioxide (SO ₂)	mg/Nm ³	BDL	—	IS : 11255 (Part-2) 1985 RA. 2019
3.	Oxides of Nitrogen (NO _x)	mg/Nm ³	12.63	—	IS : 11255 (Part-7) 2005 RA. 2022

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit
4. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



Sadekar Enviro Engineers Private Limited

Plot No. A-05, Road No. 16, Kisan Nagar Road, M.J.D.G. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.

Office : +91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenvio.com / psadekar5@gmail.com

Laboratory Recognised under Environment (Protection) Act, 1986 by MoEF & CC, GOI, Valid until 06.09.2025

SAVE WATER

SAVE LIFE

ANALYSIS TEST REPORT

Report No.	SEETL/Project/ST/04/2024/084	Report Date	11/04/2024
Name of Client	M/s. LUPIN LIMITED		
Address of Client	Plot No. M2 & M2A, SEZ Phase- II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (M.P.) - 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Sample Collected By	SCS Representative		
Environmental Condition of Lab		Temperature(°C)	25.2
		Humidity (%)	52

DETAILS OF STACK

Attached To	Boiler (4.0 Ton)
Location	Utility – 2 (Unit – 2)
Shape	Round
Diameter (Mtr)	1.0
Height From Ground Level (Mtr)	35
Flue Gas Temperature (°C)	152.0
Flue Gases Velocity (m/sec)	5.32
Flue Gas Flow Rate (Nm³/hour)	10445.5
Type of Fuel	Natural Gas(PNG)

POLLUTIONAL PARAMETERS

Sr. No	Parameters	Result	Units	Limit	Method
1.	Particulate Matter	BDL	mg/Nm ³	-	IS 11255 (Part 1):1985 RA. 2019
2.	SO ₂	BDL	mg/Nm ³	-	IS 11255 (Part 2):1985 RA. 2019
3.	NO _x	10.4	mg/Nm ³	-	IS 11255 (Part 7):2005 RA. 2022

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) BDL: Below Detection Limit (SO₂< 3 mg/Nm³), (Particulate Matter PM <10 mg/Nm³)

4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT *****



Authorized Signatory
Nilesh Naik

Format No. SEETL/LD/F-77

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India | Phone : (0832) 2437048 / 2437164
E-mail : sadekarenvio@rediffmail.com • Website : www.sadekarenvio.com

LABORATORY : B-306/307, Plot No. 61, Patto Estate, Reis Magos, Verem, Alto, Old Barim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India | Phone : (0832) 0411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

* Laboratory Recognised under Environment (Protection) Act, 1986 by MoEF & CC, GOI, Valid until 03.12.2024
* Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024

ANNEXURE P2-2
O/C



LUPIN

LUPIN LIMITED (UNIT 1)
Plot No. M-2 & M-2-A, SEZ, Phase-II, MISC Zone,
Apparel Park, Pithampur, Distt. Dhar - 454775
Tel: +91-7292-417300, 417399

Date: 24/06/2024

To

**The Member secretary
M.P. Pollution control Board
Parivaran Parivar,
E-5, Arera Colony,
Bhopal-462016**

Subject: Annual return in form-IV as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Dear Sir,

This has reference to the Hazardous Waste Authorization issued to us for 5 years as per Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016. We are submitting herewith the Annual Return for the FY 2023-24 in form IV with manifest for Unit-2 API division.

We hope you will find the above in order.

Thanking You.

For Lupin Limited

Amit Sareen
Amit Sareen
Site Head & Sr. VP- Manufacturing.

क्षेत्रीय कार्यालय
म.प्र. प्रदूषण नियंत्रण बोर्ड
पीथमपुर, जिला धार (म.प्र.)
आष्टक क्र. *X*
दिनांक *26/06/24*

Cc: The Regional Officer, MPPCB, Pithampur-Dhar (M.P.)

Encl: As above

FORM- 4**[See rule 6(5), 13(8), 16(6) and 20(2)]****FORM FOR FILLING ANNUAL RETURNS**

(To be submitted to State Pollution Control Board by 30th day of June of every year for the proceeding period April to March)

1	Name and address of the Facility	Lupin Limited (Unit-2), (API Division), Plot no.-2, SEZ Phase-2, Pithampur, Dist. Dhar – 454775 (M.P.)
2	Authorization No. and Date of Issue	Authorization No. AWH-54964 issue dated 07/01/2022
3	Name of the authorized person and full address with Telephone, Fax number and E mail	Mr. Amit Sareen / Mr. Harpreet Singh Plot No.2, SEZ Phase-2, Pithampur, Dist. Dhar – 454775 (M.P.), Ph. No-07292-417311, Fax-07292-417417 E mail: amitsareen@lupin.com / harpreetsingh@lupin.com
4	Production during the year (product wise), wherever applicable	Consented Quantity -API Product- 2260.5 Kg/Year

Part A
To be filled by Hazardous Waste Generators

1. (I). Total quantity of Waste Generated Category wise

Sr. No.	Category	Hazardous Waste	Quantity generated during 2023-24 in MT
1	5.1	Used or Spent Oil	0.54
2	20.2	Spent Solvent	197.114
3	20.3	Distillation Residues	0.0
4	28.1	Process Residue and wastes	0.365
5	28.2	Spent Catalyst	0.0
6	28.3	Spent Carbon	0.098
7	28.4	Off Specification Products	0.0
8	28.5	Date-expired products	0.0
9	33.1	Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	62.715
10	35.2	Spent ion exchange resin containing toxic metals	0.0
11	35.3	Chemical sludge from wastewater treatment	65.43
12	36.2	Spent carbon or Filter medium	17.69
13	37.3	Salts from ATFD (Concentration or evaporation residues)	15.63

2. Quantity dispatched:

(i) To disposal Facility: Pithampur Industrial Waste Management Private Limited, Pithampur Dist. Dhar (M.P.)

Sr. No.	Category	Hazardous Waste	Quantity disposed during 2023-24 in MT
1	28.3	Spent Carbon	0.06
2	33.1	Empty barrels/containers/liners/ PPEs contaminated with hazardous chemicals /wastes	4.16
3	35.3	Chemical sludge from wastewater treatment	65.73
4	36.2	Spent carbon or Filter medium	17.69
5	37.3	Salts from ATFD (Concentration or evaporation residues)	14.93

(ii) To recycler or co-processors or pre- processor:

Sr. No.	Category	Hazardous Waste	Quantity disposed during 2023-24 in MT	Authorized Recycler
1	5.1	Used or Spent Oil	1.035	M/s Aadi Chemtrade Pvt. Ltd., M/s Shri Agrasen Refinery Pvt. Ltd.
2	20.2	Spent Solvent	170.784	M/s Royal Enterprises, M/s Shloak Chemicals India Pvt. Ltd.
3	33.1	Empty barrels/ containers/ liners after decontamination and puncturing	27.185	M/s Ashok kumar Manoharlal, M/s Shri Beena Fabrication industry, M/S R P Enterprises, M/s Recycle waste

Sr. No.	Category	Hazardous Waste	Quantity disposed during 2023-24 in MT	Authorized Pre-Processor
1	5.1	Used or Spent Oil	0.15	Pithampur Industrial Waste Management Private Limited, Pithampur Dist. Dhar (M.P.)
2	20.2	Spent solvent	26.33	
3	28.1	Process Residue and wastes	0.365	
4	28.3	Spent Carbon	0.04	
5	33.1	Empty barrels/ containers/ liners/ PPEs contaminated with hazardous chemicals /wastes	31.37	

(iii) Others - NA

3. Quantity utilized in house, if any- NA
4. Quantity in storage at the end of year-

Sr. No.	Category	Hazardous Waste	Quantity stored at end of the year during 2023-24 in MT
1	5.1	Used or Spent Oil	0.14
2	35.3	Chemical sludge from wastewater treatment	0.5
3	37.3	Salts from ATFD (Concentration or evaporation residues)	0.7


Part B

To Be Filled By Treatment Storage and Disposal Facility Operators- Not Applicable

Part C


To Be Filled By Recyclers or Co-Processors or Other Users- Not Applicable

Date: 24/06/2024


Signature of the occupier

Place: Pithampur

Annexure-3







AzisLabs

- Works: Plot No. M-43, Sector-3, Pilampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 9669889316, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFM51D

Test Report

Report Issued to :	A.R No. : AIR-6049/2024 - 2025
MS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pilampur, 454775 Dhar (M.P.)	Sample Received Date : 09/09/2024
	Report Issue Date : 16/09/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	07/09/2024 15:50	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	84%
Sampling By	Azis Labs	Analysis Start Date	09/09/2024
Wind Direction	From West	Analysis End Date	16/09/2024
Location	Near Main Security Gate		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
01.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	47.58	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	23.75	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	17.60	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	24.64	80	IS : 5182 (Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.48	2	IS : 5182 (Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry

CONT'D. ON NEXT PAGE..... Page 1 of 2



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 98688 89316, 98270 08819, 7089338892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report Issued to :	A.R. No. : AIR-6049/2024 - 2025
M/S LUPIN LIMITED	Sample Received Date : 09/09/2024
Plot No. M-2 & M-2-A, SEZ PHASE II	Report Issue Date : 16/09/2024

Misc. Zone Apparel Park, Pithampur, 454775
Dhar (M.P.)

Sample Name	: Ambient Air Monitoring
Sampling Date&Time	: 07/09/2024 15:50
Ambient Temp.	: 27°C
Sampling Duration	: 24 hrs.
Humidity	: 84%
Sampling By	: Azis Labs
Wind Direction	: From West
Analysis Start Date	: 09/09/2024
Location	: Near Main Security Gate
Analysis End Date	: 16/09/2024

SR.	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.



MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96698 89318, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW'DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFMS/1D

Test Report

Report Issued to :	A.R No. : AIR-6048/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 09/09/2024
	Report Issue Date : 16/09/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	09/09/2024 15:50	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	84%
Sampling By	Azis Labs	Analysis Start Date	09/09/2024
Wind Direction	From West	Analysis End Date	16/09/2024
Location	Near ETP-1		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 μm) 24 hrs. basic	$\mu\text{g}/\text{m}^3$	55.23	100	IS : 5182(Part 23)2006 RA:2022
2.	Particulate Matter (Size less than 2.5 μm) 24 hrs. basic	$\mu\text{g}/\text{m}^3$	26.25	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO_2) 24 hrs. basic	$\mu\text{g}/\text{m}^3$	15.62	80	IS : 5182 (Part 2/Sec-1) 2023
4.	Oxides of Nitrogen as NO_2 24 hrs. basic	$\mu\text{g}/\text{m}^3$	21.34	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O_3) for 8 hrs.	$\mu\text{g}/\text{m}^3$	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	$\mu\text{g}/\text{m}^3$	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m^3	0.55	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH_3) for 24 hrs.	$\mu\text{g}/\text{m}^3$	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m^3	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAQS amend on 16th Nov.2009.
5. NAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry

CONTD. ON NEXT PAGE..... Page 1 of 2



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 98698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFMS1D

Test Report

Report Issued to :
M/S LUPON LIMITED
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No. : AIR-6048/2024 - 2025
 Sample Received Date : 09/09/2024
 Report Issue Date : 16/09/2024

Sample Name	: Ambient Air Monitoring
Sampling Date&Time	: 08/08/2024 15:50
Sampling Duration	: 24 hrs.
Sampling By	: Azis Labs
Wind Direction	: From West
Location	: Near ETP-1

Ambient Temp.	: 27°C
Humidity	: 84%
Analysis Start Date	: 09/09/2024
Analysis End Date	: 16/09/2024

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 10th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9869889316, 9827008819, 7089333892
- Email : info@azislabs.com, jdingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/AM/51D

Test Report

Report Issued to :	A.R No. : AIR-6047/2024 - 2025
M/S LUPIN LIMITED	Sample Received Date : 09/09/2024
Plot No. M-2 & M-2-A, SEZ PHASE II	Report Issue Date : 16/09/2024
Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	09/09/2024 15:40	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	84%
Sampling By	Azis Labs	Analysis Start Date	09/09/2024
Wind Direction	From West	Analysis End Date	16/09/2024
Location	Near New ETP (FML)		

SR.	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	58.72	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	27.91	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	13.12	60	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	23.50	80	IS : 5182 (Part 6) 2006:RA 2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.61	2	IS : 5182 (Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 18th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry

CONTD. ON NEXT PAGE..... Page 1 of 2



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FMS1D

Test Report

Report Issued to :
HUS LUPIN LIMITED
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Misc. Zone Appael Park, Pithampur, 454775
 Dhar (M.P.)

A.R No.	: AIR-6047/2024 - 2025
Sample Received Date	: 09/09/2024
Report Issue Date	: 16/09/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	09/09/2024 15:40	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	84%
Sampling By	Azis Labs	Analysis Start Date	09/09/2024
Wind Direction	From West	Analysis End Date	18/09/2024
Location	Near New ETP (FML)		

SR.	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/39/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.


MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFMS1D

Test Report

Report issued to :	A.R No. :
MIS LUPIN LIMITED Plot No. M-1 & M-3-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	AIR-6050/2024-2025
	Sample Received Date : 09/09/2024 Report Issue Date : 16/09/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	07/09/2024 18:15	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	84%
Sampling By	Azis Labs	Analysis Start Date	09/09/2024
Wind Direction	From West	Analysis End Date	16/09/2024
Location	Near Denna Main Security Gate		

SER	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	52.16	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	21.66	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	18.85	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	23.37	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.52	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	08	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 18th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry

CONTD. ON NEXT PAGE..... Page 1 of 2



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9869889316, 9827008819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :	A.R. No. : AIR-6050/2024 - 2025
M/S LUPIN LIMITED Plot No. M-1 & M-3-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 09/09/2024
	Report Issue Date : 16/09/2024

Sample Name	: Ambient Air Monitoring			
Sampling Date & Time	: 07/09/2024 16:15	Ambient Temp.	: 27°C	
Sampling Duration	: 24 hrs.	Humidity	: 84%	
Sampling By	: Azis Labs	Analysis Start Date	: 09/09/2024	
Wind Direction	: From West	Analysis End Date	: 16/09/2024	
Location	: Near Derna Main Security Gate			

SK	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQS/36/2012-13
11.	Benzene (C6H6)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.


MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 7089333892.
- Email : info@azislabs.com, jingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFEM51D

Test Report

Report Issued to :		A.R No. : AIR-4480/2024 - 2025
MRS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)		Sample Received Date : 07/08/2024
		Report Issue Date : 14/08/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/08/2024 12:50	Ambient Temp.	: 26°C
Sampling Duration	: 24 hrs.	Humidity	: 86%
Sampling By	: Azis Labs	Analysis Start Date	: 08/08/2024
Wind Direction	: From South West	Analysis End Date	: 14/08/2024
Location	: Near Main Security Gate		

SR	Parameter	UNIT	RESULT	NRADSLIM	METHOD OF TEST
01.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	62.77	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	24.58	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	12.39	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	22.73	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.55	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13


Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.


MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 89316; 98270 08819, 7089333892
- Email : info@azislabs.com, jdingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFM051D

Test Report

Report issued to :	A.R No.
M/S LUPIN LIMITED	AIR-4480/2024 - 2025
Plot No. M-2 & M-2-A, SEZ PHASE II	Sample Received Date
Misc. Zone Apparel Park, Pithampur, 454775	07/08/2024
Dhar (M.P.)	Report Issue Date
	14/08/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/08/2024 12:50	Ambient Temp.	: 26°C
Sampling Duration	: 24 hrs.	Humidity	: 88%
Sampling By	Azis Labs	Analysis Start Date	: 08/08/2024
Wind Direction	: From South West	Analysis End Date	: 14/08/2024
Location	: Near Main Security Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m ³	BDL (DL=3.0 ng/m ³)	20	AZSTP/ENV/011-00, Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL (DL=4.0)	05	IS : 5182 (Part 11) :2006 RA2022
12.	Benz (a) pyrene (BaP)	ng/m ³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

"End of Report"

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANDEEP SAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pilampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No.: 9669889318, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB

Format No. : AL/FLM/51D

Test Report

Report Issued to :	A.R. No. : AIR-4481/2024 - 2025
SMS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pilampur, 454775 Dhar (M.P.)	Sample Received Date : 07/08/2024 Report Issue Date : 14/08/2024

Sample Name	: Ambient Air Monitoring
Sampling Date & Time	: 05/08/2024 12:25
Sampling Duration	: 24 hrs.
Sampling By	: Azis Labs
Wind Direction	: From South West
Location	: Near ETP-1

SR	Description	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	56.32	100	IS : 5182(Part 23)2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	25.83	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	21.45	80	IS : 5182 (Part 2/Sec-1) 2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	23.94	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.60	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
- 6 .NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96698 89316; 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FMS1D

Test Report

Report Issued to :	A.R No. : AIR-4481/2024-2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 07/08/2024 Report Issue Date : 14/08/2024

Sample Name	Ambient Air Monitoring		
Sampling Date&Time	05/08/2024 12:25	Ambient Temp.	: 26°C
Sampling Duration	: 24 hrs.	Humidity	: 86%
Sampling By	: Azis Labs	Analysis Start Date	: 08/08/2024
Wind Direction	: From South West	Analysis End Date	: 14/08/2024
Location	: Near ETP-1		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit.
4. Limits as per NAQS amend on 16th Nov.2009.
5. NAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No. 0731-4068173
- Lab Contact No. : 98698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/PM/51D

Test Report

Report issued to :		A.R No. : AIR-4482/2024 - 2025
MS LUPIN LIMITED		Sample Received Date : 07/08/2024
Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)		Report Issue Date : 14/08/2024

Sample Name:	Ambient Air Monitoring		
Sampling Date & Time	05/08/2024 12:10	Ambient Temp.	: 26°C
Sampling Duration	: 24 hrs.	Humidity	: 86%
Sampling By	Azis Labs	Analysis Start Date	: 08/08/2024
Wind Direction	: From South West	Analysis End Date	: 14/08/2024
Location	: Near New ETP (FML)		

SR.	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	67.76	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	28.75	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	23.04	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	25.53	80	IS : 5182 (Part 6) 2006:RA 2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.66	2	IS : 5182 (Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 98888 89316; 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FLW/51D

Test Report

Report Issued to :		AIR No. : AIR-4482/2024 - 2025
EES LUPW LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)		Sample Received Date : 07/08/2024
		Report Issue Date : 14/08/2024
Sample Name : Ambient Air Monitoring		
Sampling Date & Time	: 05/08/2024 12:10	Ambient Temp. : 26°C
Sampling Duration	: 24 hrs.	Humidity : 86%
Sampling By	: Azis Labs	Analysis Start Date : 08/08/2024
Wind Direction	: From South West	Analysis End Date : 14/08/2024
Location	: Near New ETP (FML)	

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) 2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India; Tel No.: 0731-4068173
- Lab Contact No. : 98898 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :	A.R No. : AIR-4483/2024 - 2025
SHRI LUPIN LIMITED Plot No. M-1 & M-3-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 07/08/2024
	Report Issue Date : 14/08/2024

Sample Name :	Ambient Air Monitoring
Sampling Date & Time :	06/08/2024 12:35
Sampling Duration :	24 hrs.
Sampling By :	Azis Labs
Wind Direction :	From South West
Location :	Near Deme Main Security Gate

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	59.58	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	25.83	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	17.08	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	23.11	80	IS : 5182 (Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.54	2	IS : 5182(Part 10)1999 RA:2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 96698 88318, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :

M/S LUPIN LIMITED
Plot No. M-1 & M-3-A, SEZ PHASE II
Mic. Zone Apparel Park, Pithampur, 454775
Dhar (M.P.)

A.R No. : AIR-4483/2024 - 2025

Sample Received Date : 07/08/2024

Report Issue Date : 14/08/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	06/08/2024 12:35	Ambient Temp.	26°C
Sampling Duration	24 hrs.	Humidity	88%
Sampling By	Azis Labs	Analysis Start Date	08/08/2024
Wind Direction	From South West	Analysis End Date	14/08/2024
Location	Near Derma Main Security Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

Authorized Signatory

- Industrial & Environmental Pollution, Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- Food & Agriculture Products Testing, Method Development & Validation (Pharma, Food & Environment).
- API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALF/NMS1D

Test Report

Report issued to :	A.R No. : AIR-3666/2024 - 2025
MRS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 08/07/2024
	Report Issue Date : 15/07/2024

Sample Name	: Ambient Air Monitoring		
Sampling Date & Time	: 08/07/2024 .11:15	Ambient Temp.	: 25°C
Sampling Duration	: 24 hrs.	Humidity	: 82%
Sampling By	: Azis Labs	Analysis Start Date	: 09/07/2024
Wind Direction	: From South West	Analysis End Date	: 15/07/2024
Location	: Near Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	54.34	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	24.39	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basic	µg/m³	16.42	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basic	µg/m³	24.87	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basic	mg/m³	0.83	2	IS : 5182(Part 10)1999 RA:2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pilampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFM/51D

Test Report

Report issued to :
M/S LUPIN LIMITED
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Mic. Zone Apparel Park, Pilampur, 454775
 Dhar (M.P.)

A.R No.	: AIR-3666/2024 - 2025
Sample Received Date	: 08/07/2024
Report Issue Date	: 15/07/2024

Sample Name	Ambient Air Monitoring		
Sampling Date&Time	: 08/07/2024 11:15	Ambient Temp.	: 25°C
Sampling Duration	: 24 hrs.	Humidity	: 82%
Sampling By	: Azis Labs	Analysis Start Date	: 09/07/2024
Wind Direction	: From South West	Analysis End Date	: 15/07/2024
Location	: Near Main Gate		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAQS extend on 16th Nov. 2009.
5. NAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIVA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9669889316, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report Issued to :	A.R No. : AIR-3664/2024 - 2025
NNS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 08/07/2024
	Report Issue Date : 15/07/2024

Sample Name	Ambient Air Monitoring			
Sampling Date & Time	08/07/2024 10:55	Ambient Temp.	25°C	
Sampling Duration	24 hrs.	Humidity	82%	
Sampling By	Azis Labs	Analysis Start Date	08/07/2024	
Wind Direction	From South West	Analysis End Date	15/07/2024	
Location	Near ETP-1			

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	66.43	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	27.54	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	17.35	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	25.19	80	IS : 5182 (Part 6) 2006:RA 2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.63	2	IS : 5182 (Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Asperic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNI

Authorized Signatory

- Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 70899333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FMS/1D

Test Report

Report issued to :	A.R No. : AIR-3564/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 08/07/2024
	Report Issue Date : 15/07/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/07/2024 10:55	Ambient Temp.	25°C
Sampling Duration	24 hrs.	Humidity	82%
Sampling By	Azis Labs	Analysis Start Date	09/07/2024
Wind Direction	From South West	Analysis End Date	15/07/2024
Location	Near ETP-1		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/38/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2008 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 88316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFMS/HD

Test Report

Report Issued to :	A.R No. : AIR-3665/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Appael Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 08/07/2024
	Report Issue Date : 15/07/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	05/07/2024 11:10	Ambient Temp.	: 25°C
Sampling Duration	: 24 hrs.	Humidity	: 82%
Sampling By	Azis Labs	Analysis Start Date	: 09/07/2024
Wind Direction	: From South West	Analysis End Date	: 15/07/2024
Location	: Near New ETP (P.M.)		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	59.81	100	IS : 5182(Part 23)2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	26.34	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	16.82	80	IS : 5182 (Part 2/Sec-1) 2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	23.94	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.72	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pilampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.:0731-4068173
- Lab Contact No. : 9869889318, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :
SIS LUPIN LIMITED
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pilampur, 454775
 Dhar (M.P.)

A.R No.	: AIR-3665/2024 - 2025
Sample Received Date	: 08/07/2024
Report Issue Date	: 15/07/2024

Sample Name	Ambient Air Monitoring
Sampling Date & Time	: 05/07/2024 11:10
Ambient Temp.	: 25°C
Sampling Duration	: 24 hrs.
Humidity	: 82%
Sampling By	: Azis Labs
Analysis Start Date	: 09/07/2024
Wind Direction	: From South West
Analysis End Date	: 15/07/2024
Location	: Near New ETP (FML)

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m³	BDL (DL=3.0 ng/m³)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C ₆ H ₆)	µg/m³	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m³	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Weeks : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/61D

Test Report

Report issued to :

JMS LUPIN LIMITED
Plot No. M-1 & M-3-A, SEZ PHASE II
Misc. Zone Apparel Park, Pithampur, 454775
Dhar (MP)

A.R No. : AIR-3667/2024 - 2025

Sample Received Date : 08/07/2024
Report Issue Date : 15/07/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/07/2024 11:30	Ambient Temp.	: 25°C
Sampling Duration	: 24 hrs.	Humidity	: 82%
Sampling By	Azis Labs	Analysis Start Date	: 09/07/2024
Wind Direction	: From South West	Analysis End Date	: 15/07/2024
Location	Near Denna Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	58.49	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	24.73	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	19.43	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen as NO₂ 24 hrs. basis	µg/m³	28.79	80	IS : 5182 (Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.45	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov 2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9689889315, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALIFW51D

Test Report

Report issued to :
MIS LUPIN LIMITED
 Plot No. M-1 & M-3 A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R.No.	AIR-3667/2024 - 2025
Sample Received Date	08/07/2024
Report Issue Date	15/07/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/07/2024 11:30	Ambient Temp.	25°C
Sampling Duration	24 hrs.	Humidity	82%
Sampling By	Azis Labs		
Wind Direction	From South West		
Location	Near Denna Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182 (Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.



MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 7089338892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALF/NASID

Test Report

Report issued to :	A.R. No.
IES LUPIN LIMITED	AIR-2817/2024 - 2025
Plot No. M-2 & M-2-A, SEZ PHASE II Mic. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 11/06/2024
	Report Issue Date : 17/06/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/06/2024 12:15	Ambient Temp.	: 27°C
Sampling Duration	: 24 hrs.	Humidity	: 72%
Sampling By	Azis Labs	Analysis Start Date	: 12/06/2024
Wind Direction	: West	Analysis End Date	: 17/06/2024
Location	Near Security Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	61.94	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	26.37	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	18.34	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	23.46	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09) 1974 RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.54	2	IS : 5182(Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	µg/m³	BDL (DL=0.24)	0.6	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report Issued to :

MJS LUPIN LIMITED
Plot No. M-2 & M-2-A, SEZ PHASE II
Misc. Zone Apparel Park, Pithampur, 454775
Dhar (M.P.)

A.R No. : AIR-2617/2024 - 2025
Sample Received Date : 11/06/2024
Report Issue Date : 17/06/2024

Sample Name	Ambient Air Monitoring		
Sampling Date&Time	06/06/2024 12:15	Ambient Temp.	: 27°C
Sampling Duration	24 hrs.	Humidity	: 72%
Sampling By	Azis Labs	Analysis Start Date	: 12/06/2024
Wind Direction	West	Analysis End Date	: 17/06/2024
Location	Near Security Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- Industrial & Environmental Pollution, Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- Food & Agriculture Products Testing, Method Development & Validation (Pharma, Food & Environment).
- API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/ENV/51D

Test Report

Report Issued to :	A.R No. : AIR-2619/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 11/06/2024
	Report Issue Date : 17/06/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	07/06/2024 11:50	Ambient Temp.	: 27°C
Sampling Duration	: 24 hrs.	Humidity	: 72%
Sampling By	Azis Labs	Analysis Start Date	: 12/06/2024
Wind Direction	: West	Analysis End Date	: 17/06/2024
Location	: Near ETP-1		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OR TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	63.18	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	28.43	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basic	µg/m³	18.92	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basic	µg/m³	24.59	80	IS : 5182 (Part 6) 2006:RA 2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basic	mg/m³	0.54	2	IS : 5182 (Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No.: 98899 99318, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :
MVS LUPIN LIMITED
 Plot No. M-2 & M-2-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No.	: AJR-2619/2024 - 2025
Sample Received Date	: 11/06/2024
Report Issue Date	: 17/06/2024

Sample Name	: Ambient Air Monitoring		
Sampling Date & Time	: 07/06/2024 11:50	Ambient Temp.	: 27°C
Sampling Duration	: 24 hrs.	Humidity	: 72%
Sampling By	: Azis Labs	Analysis Start Date	: 12/06/2024
Wind Direction	: West	Analysis End Date	: 17/06/2024
Location	: Near ETP-1		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov 2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.


MANOJ BAMNNYA
 Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 98698 99318, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FIN/1D

Test Report

Report issued to :	A.R. No.
SIG LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	A.R. No. : AIR-2618/2024 - 2025
	Sample Received Date : 11/06/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	07/06/2024 11:35	Ambient Temp.	27°C
Sampling Duration	24 hrs.	Humidity	72%
Sampling By	Azis Labs	Analysis Start Date	12/06/2024
Wind Direction	West	Analysis End Date	17/06/2024
Location	Near New ETP (FML)		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	69.34	100	IS : 5182(Part 23)2008 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	29.45	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	16.53	80	IS : 5182 (Part 2/Sec-1) 2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	24.61	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.58	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Units as per NAQS amend on 16th Nov.2009.
5. NAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.



MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No. 0731-4068173
- Lab Contact No. : 96698 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/EM/51D

Test Report

Report Issued to :	A.R No. : AIR-2618/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 11/06/2024 Report Issue Date : 17/06/2024

Sample Name	: Ambient Air Monitoring	Ambient Temp.	: 27°C
Sampling Date & Time	: 07/06/2024 11:35	Humidity	: 72%
Sampling Duration	: 24 hrs.	Analysis Start Date	: 12/06/2024
Sampling By	: Azis Labs	Analysis End Date	: 17/06/2024
Wind Direction	: West		
Location	: Near New ETP (FML)		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 96898 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALP-0251D

Test Report

Report issued to :	A.R No. : AIR-2620/2024 - 2025
JMS LUPIN LIMITED Plot No. M-1 & M-3-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 11/06/2024
	Report Issue Date : 17/06/2024

Sample Name	Ambient Air Monitoring			
Sampling Date & Time	08/06/2024 12:30	Ambient Temp.	27°C	
Sampling Duration	24 hrs.	Humidity	72%	
Sampling By	Azis Labs	Analysis Start Date	12/06/2024	
Wind Direction	West	Analysis End Date	17/06/2024	
Location	Near Disha security Main Gate			

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	57.14	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	26.43	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	17.24	60	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	22.91	80	IS : 5182 (Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.53	2	IS : 5182 (Part 10)1999 RA:2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No. 0731-4068173
- Lab Contact No. : 96668 89316, 98270 08819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FW51D

Test Report

Report Issued to :
MVS LUPIN LIMITED
 Plot No. M-1 & M-3-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No.	: AIR-2620/2024 - 2025
Sample Received Date	: 11/06/2024
Report Issue Date	: 17/06/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	08/06/2024 12:30	Ambient Temp.	: 27°C
Sampling Duration	: 24 hrs.	Humidity	: 72%
Sampling By	: Azis Labs	Analysis Start Date	: 12/06/2024
Wind Direction	: West	Analysis End Date	: 17/06/2024
Location	Near Dema Security Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182 (Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NASL Accredited Lab.

MANOJ BAMNIYA
 Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 96608 89316, 88270 08819, 7089333892
- Email: info@azislabs.com, jdingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFM/51D

Test Report

Report issued to :	A.R No. : AIR-1789/2024 - 2025
IWS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Mic. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 15/05/2024
	Report Issue Date : 21/05/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	14/05/2024 11:20	Ambient Temp.	39°C
Sampling Duration	24 hrs.	Humidity	18%
Sampling By	Azis Labs	Analysis Start Date	16/05/2024
Wind Direction	West	Analysis End Date	21/05/2024
Location	Near Security Main Gate		

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	67.22	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	29.16	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	15.72	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	24.64	80	IS : 5182 (Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.51	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13


Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAQS amend on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 9669888318, 9827008819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/PM51D

Test Report

Report Issued to :

NMS LUPIN LIMITED
Plot No. M-2 & M-2-A, SEZ PHASE II
Misc. Zone Apparel Park, Pithampur, 454775
Dhar (M.P.)

A.R No. : AIR-1789/2024 - 2025

Sample Received Date : 15/05/2024
Report Issue Date : 21/05/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	14/05/2024 11:20	Ambient Temp.	39°C
Sampling Duration	24 hrs.	Humidity	18%
Sampling By	Azis Labs	Analysis Start Date	16/05/2024
Wind Direction	West	Analysis End Date	21/05/2024
Location	Near Security Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182 (Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
- 6 .NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9689889318, 9827008819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FN/61D

Test Report

Report issued to :	A.R No. : AIR-1793/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Mic. Zone Appari Park, Pithampur, 454775 Dhar (M.P.)	Sample Received Date : 15/05/2024
	Report Issue Date : 21/05/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	11/05/2024 13:55	Ambient Temp.	30°C
Sampling Duration	24 hrs.	Humidity	18%
Sampling By	Azis Labs	Analysis Start Date	18/05/2024
Wind Direction	West	Analysis End Date	21/05/2024
Location	Near ETP-1		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basic	µg/m³	59.26	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basic	µg/m³	27.50	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basic	µg/m³	17.60	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basic	µg/m³	22.73	80	IS : 5182 (Part 6) 2006:RA 2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.56	2	IS : 5182 (Part 10) 1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- **Weds:** Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- **City Office:** 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- **Lab Contact No.:** 96698 89318, 98270 08819, 7089333892
- **Email:** info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/PM/51D

Test Report

Report issued to :	A.R. No. : AIR-1793/2024 - 2025
M/S LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (MP)	Sample Received Date : 15/05/2024 Report Issue Date : 21/05/2024

Sample Name	Ambient Air Monitoring		
Sampling Date & Time	11/05/2024 13:55	Ambient Temp.	39°C
Sampling Duration	24 hrs.	Humidity	18%
Sampling By	Azis Labs	Analysis Start Date	16/05/2024
Wind Direction	West	Analysis End Date	21/05/2024
Location	Near ETP-1		

SR.	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1) ***End of Report***	01	IS : 5182 (Part 12) 2004 RA2019

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No.: 9669989318, 9827008819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALFRMSID

Test Report

Report issued to :
BIS LUPIN LIMITED
 Plot No. M-2 & M-2A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No.	: AIR-1791/2024 - 2025
Sample Received Date	: 15/05/2024
Report Issue Date	: 21/05/2024

Sample Name	: Ambient Air Monitoring		
Sampling Date & Time	: 15/05/2024 13:40	Ambient Temp.	: 39°C
Sampling Duration	: 24 hrs.	Humidity	: 18%
Sampling By	: Azis Labs	Analysis Start Date	: 16/05/2024
Wind Direction	: West	Analysis End Date	: 21/05/2024
Location	: Near New ETP (FML)		

SR	Parameter	UNIT	RESULT	HAQCS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	71.19	100	IS : 5182(Part 23)2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	32.50	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	19.79	80	IS : 5182 (Part 2/Sec-1) 2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	26.29	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.62	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13


Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS stand on 16th Nov.2009.
5. NAAQS: National Ambient Air Quality Standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
 Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No. : 9669889318, 9827008818, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FRM/51D

Test Report

Report issued to :		A.R No. : AIR-1791/2024 - 2025			
MS LUPIN LIMITED Plot No. M-2 & M-2-A, SEZ PHASE II Misc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.)		Sample Received Date : 15/05/2024			
		Report Issue Date : 21/05/2024			
Sample Name:	Ambient Air Monitoring	Result:			
Sampling Date&Time:	11/05/2024 13:40	Ambient Temp.:	39°C		
Sampling Duration:	24 hrs.	Humidity:	18%		
Sampling By:	Azis Labs	Analysis Start Date:	16/05/2024		
Wind Direction:	West	Analysis End Date:	21/05/2024		
Location:	Near New ETP (FML)	Method of Test:			
SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2008 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019
End of Report					

Remarks :


Note :

1. The above results are related only to the sample tested.
2. This reports shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMDEVYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/28, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 96698 89318, 98270 08818, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015; ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FA/M51D

Test Report

Report issued to :				A.R No. : AIR-1795/2024 - 2025
MS LUPIN LIMITED				Sample Received Date : 15/05/2024
Plot No. M-1 & M-3-A, SEZ PHASE II				Report Issue Date : 21/05/2024
Misc. Zone Apparel Park, Pithampur, 454775				
Cher (M.P.)				
Sample Name	Ambient Air Monitoring			
Sampling Date & Time	14/05/2024 11:35	Ambient Temp.	39°C	
Sampling Duration	24 hrs.	Humidity	18%	
Sampling By	Azis Labs	Analysis Start Date	15/05/2024	
Wind Direction	West	Analysis End Date	21/05/2024	
Location	Near Doms security Main Gate			

SR	Parameter	UNIT	RESULT	NAQS Limit	METHOD OF TEST
1.	Particulate Matter (Size less than 10 µm) 24 hrs. basis	µg/m³	62.78	100	IS : 5182 (Part 23) 2006 RA:2022
2.	Particulate Matter (Size less than 2.5 µm) 24 hrs. basis	µg/m³	27.08	60	AZSTP/ENV/004-00 Based on Guideline by CPCB NAAQMS/36/2012-13
3.	Sulphur Dioxide (SO₂) 24 hrs. basis	µg/m³	16.5	80	IS : 5182 (Part 2/Sec-1) :2023
4.	Oxides of Nitrogen (NO₂) 24 hrs. basis	µg/m³	21.34	80	IS : 5182(Part 6) 2006 RA:2022
5.	Ozone (O₃) for 8 hrs.	µg/m³	BDL (DL=1.0)	100	IS : 5182 (Part 09)1974RA:2019
6.	Lead (Pb) for 24 hrs.	µg/m³	BDL (DL=0.006)	1.0	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
7.	Carbon Monoxide (CO) 8 hrs. basis	mg/m³	0.58	2	IS : 5182(Part 10)1999 RA 2019
8.	Ammonia (NH₃) for 24 hrs.	µg/m³	BDL (DL=2.5)	400	AZSTP/ENV/008-00 Based on Guideline by CPCB NAAQMS/36/2012-13
9.	Arsenic (As)	ng/m³	BDL (DL=0.24)	06	AZSTP/ENV/009-00 Based on Guideline by CPCB NAAQMS/36/2012-13

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAQS amend on 16th Nov 2009.
5. NAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works : Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office : 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No. : 9669889318, 9827008819, 7089333892
- Email : info@azislabs.com, j.dingwani@azislabs.com, Visit : www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FM/51D

Test Report

Report issued to :
IRS LUPIN LIMITED
 Plot No. M-1 & M-3-A, SEZ PHASE II
 Misc. Zone Apparel Park, Pithampur, 454775
 Dhar (M.P.)

A.R No. : AIR-1795/2024 - 2025
 Sample Received Date : 15/05/2024
 Report Issue Date : 21/05/2024

Sample Name	: Ambient Air Monitoring		
Sampling Date & Time	14/05/2024 11:35	Ambient Temp.	: 39°C
Sampling Duration	: 24 hrs.	Humidity	: 18%
Sampling By	: Azis Labs	Analysis Start Date	: 16/05/2024
Wind Direction	: West	Analysis End Date	: 21/05/2024
Location	: Near Dama Security Main Gate		

SR	Parameter	UNIT	RESULT	NAAQS Limit	METHOD OF TEST
10.	Nickel (Ni)	ng/m3	BDL (DL=3.0 ng/m3)	20	AZSTP/ENV/011-00 Based on Guideline by CPCB NAAQMS/36/2012-13
11.	Benzene (C6H6)	µg/m3	BDL (DL=4.0)	05	IS : 5182(Part 11) :2006 RA2022
12.	Benzo (a) pyrene (BaP)	ng/m3	BDL (DL=0.1)	01	IS : 5182 (Part 12) 2004 RA 2019

End of Report

Remarks :

Note :

1. The above results are related only to the sample tested.
2. This report shall not be reproduced without the written approval of Azis Labs.
3. BDL: Below Detection Limit, DL: Detection Limit
4. Limits as per NAAQS amend on 16th Nov.2009.
5. NAAQS: National ambient air quality standard
6. NABL Accredited Lab.

MANOJ BAMNIYA
 Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



Sadekar Enviro Engineers Private Limited

Plot No. A-65, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
 ☎ : (0122) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC. GOI. Valid until 06.09.2025

AMBIENT AIR ANALYSIS TEST REPORT

Report No	SEETL/Project/AB/04/2024/081	Report Date	11/04/2024
Name of Client	M/s. LUPIN LIMITED		
Address of Client	Plot No. M2 & M2A, SEZ Phase- II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (M.P.) - 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sample Collected By	SCS Representative		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Environmental Condition of Lab		Temperature(°C)	25.2
		Humidity (%)	52

AMBIENT AIR STATION

Location of H.V.S.	Near Gate Entry
Lateral Distance	5.0 Meter from Main Gate
Receptor Distance	1.5 Meters From Ground Level
Ambient Temperature(°C)	34
Wind Speed (km/hr)	12
Instruments Used	R.D.S. (APM- 460), F.P.S. (APM – 550) G.P.S. (APM – 411) & Benzene Sampler (GTI 177)

POLLUTANT PARAMETERS

Sr. No.	Parameters	Result	Units	NAAQS Limits	Reference Method
1	Particulate Matter (Size less than 10 μm) 24 hrs. basis	75.5	$\mu\text{g}/\text{m}^3$	100.00	IS 5182(Part 23)2006RA: 2022
2	Particulate Matter (Size less than 2.5 μm) 24 hrs. basis	36.6	$\mu\text{g}/\text{m}^3$	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
3	Sulphur Dioxide (SO_2) 24 hrs. basis	17.4	$\mu\text{g}/\text{m}^3$	80.00	IS 5182(Part 2/Sec 1):2023
4	Oxides of Nitrogen as NO_2 24 hrs. basis	26.5	$\mu\text{g}/\text{m}^3$	80.00	IS 5182 (Part 6): 2006 RA: 2022
5	Ozone (O_3) for 8 hrs.	BDL (DL-1.0)	$\mu\text{g}/\text{m}^3$	100.00	IS 5182 (Part 9): 1974 RA: 2019
6	Carbon Monoxide (CO) 8 hrs. basis	1.0	mg/m^3	2.00	As per IS 5182 (Part 10) : 1999 RA 2019
7	Ammonia (NH_3) for 24 hrs.	BDL(DL-20.0)	$\mu\text{g}/\text{m}^3$	400.00	CPCB Guidelines For Measurement Of Ambient Air Pollutants Volume-I ,2011
8	Lead (Pb) for 24 hrs.	BDL(DL-0.1)	$\mu\text{g}/\text{m}^3$	1.00	EPA compendium method IO 3.5: 2012
9	Benzene (C_6H_6)	BDL(DL-4.0)	$\mu\text{g}/\text{m}^3$	5.00	IS 5182 (Part 11) :2006 RA 2022
10	Arsenic(As)	BDL(DL-5.0)	ng/m^3	6.00	EPA compendium.method IO 3.5: 2012
11	Nickel(Ni)	BDL(DL-5.0)	ng/m^3	20.00	EPA compendium.method IO 3.5: 2012
12	Benzo(a)Pyrene(BaP)	BDL(DL-0.1)	ng/m^3	1.00	IS 5182 (Part 12): 2004 RA: 2019

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) NAAQS-National Ambient Air Quality Standards

3) Limits as per NAAQS amend on 16th Nov. 2009.

4) BDL- Below detection limit; DL-detection limit

5) This certificate may not be reproduced without the permission of this Laboratory

***** END OF THE REPORT*****



Authorized Signatory
Nilesh Naik

Format No: SEETL/LD/F-72

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : a-300207, Plot No. 61, Patel Estates, Reis Magos, Verem, Alto, Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

* Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC. GOI, Valid until 03.12.2024
 * Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.J.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pre@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 06.09.2025

AMBIENT AIR ANALYSIS TEST REPORT

Report No	SEETL/Project/AR/04/2024/082	Report Date	11/04/2024
Name of Client	M/s. LUPIN LIMITED		
Address of Client	Plot No. M2 & M2A, SEZ Phase- II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (M.P.) - 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sample Collected By	SCS Representative		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Environmental Condition of Lab		Temperature(°C)	25.2
		Humidity (%)	52

AMBIENT AIR STATION

Location of H.V.S.	Near ETP-I		
Lateral Distance	5.0 Meter from ETP-I		
Receptor Distance	1.5 Meters From Ground Level		
Ambient Temperature(°C)	34	Humidity (%)	36
Wind Speed (km/hr)	12	Wind Direction	W
Instruments Used	R.D.S.(APM-460), F.P.S.(APM-550) G.P.S.(APM-411) & Benzene Sampler (GTI 177)		

POLLUTANT PARAMETERS

Sr. No.	Parameters	Result	Units	NAAQS Limits	Reference Method
1	Particulate Matter (Size less than 10µm) 24 hrs. basis	80.2	µg/m³	100.00	IS 5182(Part 23)2006RA: 2022
2	Particulate Matter (Size less than 2.5µm) 24 hrs. basis	43.5	µg/m³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
3	Sulphur Dioxide (SO₂) 24 hrs. basis	20.6	µg/m³	80.00	IS 5182(Part 2/Sec 1):2023
4	Oxides of Nitrogen as NO₂ 24 hrs. basis	31.8	µg/m³	80.00	IS 5182 (Part 6): 2006 RA: 2022
5	Ozone (O₃) for 8 hrs.	BDL (DL-1.0)	µg/m³	100.00	IS 5182 (Part 9): 1974 RA: 2019
6	Carbon Monoxide (CO) 8 hrs. basis	1.3	mg/m³	2.00	As per IS 5182 (Part 10) : 1999 RA 2019
7	Ammonia (NH₃) for 24 hrs.	BDL (DL-20.0)	µg/m³	400.00	CPCB Guidelines For Measurement Of Ambient Air Pollutants Volume-I ,2011
8	Lead (Pb) for 24 hrs.	BDL (DL-0.1)	µg/m³	1.00	EPA compendium method IO 3.5: 2012
9	Benzene (C₆H₆)	BDL (DL-4.0)	µg/m³	5.00	IS 5182 (Part 11) :2006 RA: 2022
10	Arsenic(As)	BDL (DL-5.0)	ng/m³	6.00	EPA compendium method IO 3.5: 2012
11	Nickel(Ni)	BDL (DL-5.0)	ng/m³	20.00	EPA compendium method IO 3.5: 2012
12	Benzo(a)Pyrene(BaP)	BDL (DL-0.1)	ng/m³	1.00	IS 5182 (Part 12): 2004 RA: 2019

NOTE: 1) The above results relate only to the item tested & the condition prevailing at the time of sampling

2) NAAQS-National Ambient Air Quality Standards

3) Limits as per NAAQS amend on 16thNov.2009.

4) BDL- Below detection limit; DL-detection limit

5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Authorized Signatory
Nilesh Naik

Format No. SEETL/LD/F-72

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Paito, Panaji-403 031. Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
 Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

* Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 03.12.2024
 * Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024



Sadekar Enviro Engineers Private Limited

Plot No. A-85, Road No. 16, Kisan Nagar Road, M.L.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 08.09.2025

AMBIENT AIR ANALYSIS TEST REPORT			
Report No	SEETL/Project/AR/04/2024/083	Report Date	11/04/2024
Name of Client	M/s. LUPIN LIMITED		
Address of Client	Plot No. M1 & M3A, SEZ Phase-II, Misc. Zone Apparel Park, Pithampur, Dist. Dhar (M.P.) - 454775		
Order / Reference	As Per Agreement Dated-01/04/2021		
Date Of sampling	05/04/2024	Sample Receipt Date	08/04/2024
Analysis Started on	08/04/2024	Analysis Completed On	11/04/2024
Sample Collected By	SCS Representative		
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32
Environmental Condition of Lab		Temperature(°C)	25.2
		Humidity (%)	52
AMBIENT AIR STATION			
Location of H.V.S.	Near Derma Security Gate		
Lateral Distance	5.0 Meter from Derma Security Gate		
Receptor Distance	1.5 Meters From Ground Level		
Ambient Temperature(°C)	34	Humidity (%)	36
Wind Speed (km/hr)	12	Wind Direction	W
Instruments Used	R.D.S.(APM-460), F.P.S.(APM - 550) G.P.S.(APM - 411) & Benzene Sampler (GTI 177)		

POLLUTIONAL PARAMETERS					
Sr. No.	Parameters	Result	Units	NAAQS Limits	Reference Method
1	Particulate Matter (Size less than 10µm) 24 hrs. basis	68.2	µg/m³	100.00	IS 5182(Part 23)2006RA: 2022
2	Particulate Matter (Size less than 2.5µm) 24 hrs. basis	39.0	µg/m³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
3	Sulphur Dioxide (SO₂) 24 hrs. basis	16.0	µg/m³	80.00	IS 5182(Part 2/Sec 1):2023
4	Oxides of Nitrogen as NO₂ 24 hrs. basis	22.4	µg/m³	80.00	IS 5182 (Part 6): 2006 RA: 2022
5	Ozone (O₃) for 8 hrs.	BDL (DL-1.0)	µg/m³	100.00	IS 5182 (Part 9): 1974 RA: 2019
6	Carbon Monoxide (CO) 8 hrs. basis	1.0	mg/m³	2.00	As per IS 5182 (Part 10) : 1999 RA 2019
7	Ammonia (NH₃) for 24 hrs.	BDL (DL-20.0)	µg/m³	400.00	CPCB Guidelines For Measurement Of Ambient Air Pollutants Volume-I ,2011
8	Lead (Pb) for 24 hrs.	BDL (DL- 0.1)	µg/m³	1.00	EPA compendium method IO 3.5: 2012
9	Benzene (C₆H₆)	BDL (DL- 4.0)	µg/m³	5.00	IS 5182 (Part 11) :2006 RA 2022
10	Arsenic(As)	BDL (DL- 5.0)	ng/m³	6.00	EPA compendium method IO 3.5: 2012
11	Nickel(Ni)	BDL (DL- 5.0)	ng/m³	20.00	EPA compendium method IO 3.5: 2012
12	Benzo(a)Pyrene(BaP)	BDL (DL- 0.1)	ng/m³	1.00	IS 5182 (Part 12): 2004 RA: 2019

- NOTE:**
- 1) The above results relate only to the item tested & the condition prevailing at the time of sampling
 - 2) NAAQS-National Ambient Air Quality Standards
 - 3) Limits as per NAAQS amend on 16thNov.2009.
 - 4) BDL- Below detection limit; DL-detection limit
 - 5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Authorized Signatory
Nilesh Naik

Format No. SEETL/LD/F-72

Page 1 of 1

GOA OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-300307, Plot No. 61, Patel Estate, Reis Magos, Varem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

* Laboratory Recognised under Environment (protection) Act, 1986 by MoEF & CC, GOI, Valid until 03.12.2024
 * Lab Certified by ISO 9001:2015 & ISO 45001 : 2018 Valid till 03.12.2024

ANNUAL REPORT - 5



AzisLabs

- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel No.: 0731-4068173
- Lab Contact No.: 98888 89316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : ALTFIN51A

Test Report

Report Issued to :	A.R. No. : ENV-6054/2024 - 2025
LUPIN LIMITED Plot No. M-2 & M-2-A and M-1 & M3A, SEZ PHASE II Msc. Zone Apparel Park, Pithampur, 454775 Dhar (M.P.) MADHYA PRADESH	Report Issue Date : 09/09/2024

Noise Level Monitoring					
Monitored By:	Azis Labs	Monitoring Start Date :	07/09/2024	Monitoring End Date :	07/09/2024
Monitoring Date	07/09/2024				

SR	Sampling Location	UNIT	Noise Levels in dB (A) Leq	CPCB Standard Limit	METHOD OF TEST
1.	Day				
1.	Near Main Gate	dB(A)	64.7	75	IS : 9989 – 1981
2.	Near New ETP	dB(A)	67.2	75	IS : 9989 – 1981
3.	Near ETP - 1	dB(A)	62.6	75	IS : 9989 – 1981
4.	Near Denna Main Gate	dB(A)	58.3	75	IS : 9989 – 1981
	Night				
1.	Near Main Gate	dB(A)	57.5	70	IS : 9989 – 1981
2.	Near New ETP	dB(A)	63.8	70	IS : 9989 – 1981
3.	Near ETP - 1	dB(A)	54.9	70	IS : 9989 – 1981
4.	Near Denna Main Gate	dB(A)	52.1	70	IS : 9989 – 1981

End of Report

Remarks :

Note :

1. Day time shall mean from 06:00 am to 10:00 pm.
2. Night time shall mean from 10:00pm to 06:00 am.
3. A "decibel" is a unit which noise is measured.
4. "A" in dB (A) Leq denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
5. Leq: It is the energy mean of the noise level over a specified period.
6. Noise result meet as per CPCB Standard.
7. Monitoring has been done as per CPCB protocol for ambient noise level monitoring, 2015.
8. The legal liabilities Limited up to the analytical charges only.
9. This report shall not be reproduced without the written approval of Azis labs.
10. NABL Accredited Lab.

MANOJ BAMNIYA
Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry



- Works: Plot No. M-43, Sector-3, Pithampur 454774, Dist. Dhar, (M.P.) India
- City Office: 3/26, Vijay Nagar, Opp. Sayaji Hotel, Indore (M.P.) India, Tel. No.: 0731-4068173
- Lab Contact No.: 96668 88316, 98270 08819, 7089333892
- Email: info@azislabs.com, j.dingwani@azislabs.com, Visit: www.azislabs.in

**RECOGNIZED BY MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MoEFCC), NEW DELHI
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) CERTIFIED LAB**

Format No. : AL/FLW/51A

Test Report

Report Issued to :

LUPIN LIMITED
Plot No. M-2 & M-2-A and M-1 & M3A, SEZ PHASE II
Misc. Zone Apparel Park, Pithampur, 454775
Dhar (M.P.) MADHYA PRADESH

A.R No. : ENV-2842/2024 - 2025

Report Issue Date : 20/06/2024

		Noise Level Monitoring	
Monitored By:	Azis Labs	Monitoring Start Date :	17/06/2024
Monitoring Date	17/06/2024	Monitoring End Date :	17/06/2024

S/N	Sampling Location	UNIT	Noise Levels in dB (A) Leq	CPCB Standard Limit	METHOD OF TEST
1.	Day Near Main Gate	dB(A)	64.7	75	IS : 9989 – 1981
2.	Near New ETP	dB(A)	69.1	75	IS : 9989 – 1981
3.	Near ETP - 1	dB(A)	67.5	75	IS : 9989 – 1981
4.	Near Derma Main Gate	dB(A)	62.4	75	IS : 9989 – 1981
	Night				
1.	Near Main Gate	dB(A)	56.5	70	IS : 9989 – 1981
2.	Near New ETP	dB(A)	61.6	70	IS : 9989 – 1981
3.	Near ETP - 1	dB(A)	62.4	70	IS : 9989 – 1981
4.	Near Derma Main Gate	dB(A)	57.3	70	IS : 9989 – 1981

End of Report

Remarks :

Note :

1. Day time shall mean from 06:00 am to 10:00 pm
2. Night time shall mean from 10:00pm to 06:00 am
3. A "decibel" is a unit which noise is measured.
4. "A" .in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
5. Leq: It is the energy mean of the noise level over a specified period.
6. Noise result meet as per CPCB Standard.
7. Monitoring has been done as per CPCB protocol for ambient noise level monitoring, 2015.
8. The legal liabilities Limited up to the analytical charges only.
9. This report shall not be reproduced without the written approval of Azis labs.
10. NABL Accredited Lab.


MANOJ BAMNIYA

Authorized Signatory

- *Industrial & Environmental Pollution, *Water & Effluent Water Testing, Drugs & Pharmaceutical, Biological/Microbiological Testing Services.
- *Food & Agriculture Products Testing, *Method Development & Validation (Pharma, Food & Environment).
- *API Product (Process Development & Research), GMP/GLP Solution for Pharma / Food Industry

Annexure-6
Periodic Medical Examination (PME) of Employees

The employees of the API plant have periodical medical examination as per below detail,

Parameters
Tests
1. Physical
2. Hb
3. T & D
4. Urine Routine
5. RBS
6. E2
7. Testosterone
8. TSH
9. SGPT
10. Sr. creatinine

Frequency of medical examination of employees working in API Plant is once in six months. The biochemical tests are conducted by NABL accredited laboratory.

Factory Medical Officer evaluates all medical reports of the employees after each medical examination.


.....

Annexure-7
REGARDING COMPLIANCE OF CREP CHARTER IN PHARMACEUTICAL INDUSTRIES

Sr. No.	Point wise CREP Charter	Compliance Status
1.	<u>Segregation of waste streams.</u> Waste stream should be segregated in to high COD Waste, toxic Waste, low COD waste, inorganic waste etc. for the purposes of providing appropriate treatment implementation by December 31' 2003 and action plan to be submitted to SPCB by June 30' 2003.	Effluent Treatment plant having capacity to treat 150 m ³ /day is installed. Wastewater generated from process area is decontaminated and further treated in ETP along with domestic & utilities wastewater. Treated effluent from ETP is further treated in ZLD systems (RO, MEE & ATFD). The recovered water from ZLD used in utilities. We get Bioassay test done on a regular basis for our treated wastewater by MoEF&CC recognized laboratory.
2.	<u>Detoxification and treatment Of high COD streams:</u> High COD streams Should be detoxified and treated in ETP or thermally destroyed in incinerator — implementation by March. 2004 and action plan to submitted to SPCB by June 2003.	Kindly refer Serial no. 1.
3.	<u>Management of Solid Waste</u> Proper facilities should be provided for handling and storage of hazardous waste, final disposal of hazardous waste, recycling and reuse should be given priority, either within the premises or outside with proper manifest system, In case of Incinerable waste , properly designed incinerator should be installed within the premises or outside as common facility. The non- Incinerable hazardous waste should be disposed of in properly designed secure landfill either within the industry premises or in a Common facility- Implementation by March. 2004 and plan to be Submitted to SPCB by June 2003.	Hazardous wastes (HW) are segregated and stored at earmarked place in HW storage area prior to disposal. The hazardous waste generated is send to Pithampur Industrial Waste Management Pvt. Ltd. & Authorized recycler as per authorization granted by the MPPCB vide letter No. AWH-54964 dtd. 07.01.2022 Valid till 31.01.2027. Consent No. AW-56674 dtd. 16.09.2022 for Air & Water is valid till 31.01.2026
4.	<u>Minimum scale of production to afford cost of pollution Control:</u> For new industries, which are not connected with CETP & TSDF and which do not have the economics to install treatment facilities may not be considered for granting Consent to establishment, Industry association shall submit proposal to SPCB/CPCB implementation by December 31. 2003 and action plan to be submitted to SPCB by June 2003.	Effluent treatment: Please refer S.N. 1 above Hazardous Waste: Please refer S.N. 3 above

Sr. No.	Point wise CREP Charter	Compliance Status
5.	<p><u>Long term strategies for reduction in waste:</u> Consent for establishment and consent for operation under the Water act will be based on pollution load and concentration of pollutants. Each industry will submit pollution load, concentration of final discharge along With Water balance to SPCB/CPCB for formulation of strategy → action plan to be submitted to SPCB by June 30' 2003</p>	<p>All necessary information regarding pollution load (hydraulic as well as organic), water balance and waste quantification have been provided to the Authorities time to time.</p>
6.	<p><u>Control of air pollution:</u> Industry will take up on priority, the control of Hazardous air pollutants (such as benzene, carbon tetrachloride, 1-4 dioxane, methanol, toluene, methyl chloride etc.) and odorous compound (mercapantan & hydrogen sulphide)- implementation by December 2004 and action plan to be submitted to SPCB June 2003.</p>	<p>We use some of these solvent as stipulated in the Charter in our manufacturing process. The processes are carried out in close system and the work environment monitoring done by us on a regular basis and no significant quantity of these chemicals have been found to be present in the environment</p>
7.	<p><u>Self-regulation by industry through regular Monitoring and Environmental auditing:</u> Industries on their own will carry out monitoring of environmental parameters, audit it at regular interval and submit the same to SPCB- implementation by June 2003. Comment of BDMA- There shall be a policy for accrediting the auditors and the policy guideline may be issued by MoEF.</p>	<p>We monitor wastewater, stacks, ambient air, noise, ground water etc. on regular basis. Monitoring is done in-house and by MoEF&CC and NABL Approved laboratory. We monitor the data regularly and monitoring reports are submitted to SPCB regularly.</p>
8.	<p><u>Organizational Restructuring and Accreditation of Environmental manager of industry:</u></p> <ul style="list-style-type: none"> a. Environment management cell created for each reporting to CEO directly- implementation June 2003. b. There should be certification system for environmental manager at individual level and common facility level. BDMA may evolve the program along with SPCB/CPCB- implementation by March 31, 2004 and action plan to be submitted to SPCB by July 2003 	<p>There is a separate Environment Department to manage environmental matter. The department is headed by Head-Environment who has educational qualification in environment. Head – Environment directly reports to the Plant Head/ Corporate EHS Head.</p> <p>The operations of all Environment management facilities are monitored round the clock.</p> <p>Monitoring of environmental parameters are done at in-house analytical facility with qualified and experienced chemist.</p>
9.	<p><u>Optimising the inventory of hazardous chemicals:</u> The information shall be submitted to SPCB regularly along with rational –action plan to be submitted to SPCB by March 31, 2003</p>	<p>The inventory of all chemicals including hazardous chemicals at the site is regulated as per optimized inventory norm through a dedicated warehouse and procurement team.</p>

PHOTOGRAPHS OF RAIN WATER HARVESTING STRUCTURE (CHECK DAM)



Capacity of Check Dams

LUPIN

Sr. No	Location (Naldehra Block)	Dimension		Storage Capacity (TCM)
		Length (m)	Height (m)	
1	Hirapur-1	58.70	2.00	35.50
2	Jamniya-1	20.80	2.00	7.43
3	Jamniya-2	26.65	1.50	8.63
4	Jamniya-3	30.00	2.50	20.50
5	Jamniya-4	30.00	2.00	15.50
Grand Total				97.55

TCM - Thousand Cubic Meters

ANNEXURE-9**Activity wise Progress**

Sr. No.	Sector	Expenditure (Rs. In Lakh)	No. Of Beneficiary
1	Agriculture	0.27	251
2	Animal Husbandry	5.74	50
3	Rural Industries Promotion	1.93	10
4	Health	1.52	100
5	Education	1.94	255
6	Natural resource Management	2.12	16
7	Important Day celebration	1.47	344
		14.98	1026


CSR Activities (FY 2023-24)



Plantation support



Received support as
crop input material



Agriculture equipment support



Toys support to Anganwadi



Support Of 200 lit.Drum



Goat Unit support to landless
families

CSR Activities (FY 2023-24)




Awareness programme
regarding TB



Nutrition kit Distribution to
100 Patients



Drinking Water facility For
school children



Support of Tables and Benches
for Middle School/Junior



Check Dam Gate and repairing



Entrepreneurship
development project at Bedwapura

CSR Activities (FY 2023-24)



Plantation Drive on the occasion
of World environment day



Cleanliness drive at CHC Pithampur




Cleanliness drive at Sanjay
Chashay Pithampur



Nutrition kit supplied to malnourished
children

CSR Activities (FY 2023-24)



Highlights

- Revised TDF wadi project proposal submitted to Nabard.
- Nabard CGM Shri. Sunil Kumar and DDM Nabard visited to Wadi project, Nalchha
- Ministry of Health and Family Welfare Madhya pradesh registered LHWRF, Dhar as Ni-Kshay Mitra under Pradhan Mantri

TB Mukt Bharat Abhiyaan

